

APPLICATION NO.

10/670,939

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

	www.uspto.gov		
FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
Gary L. Anderson	ANDG 102	2050	

7590 02/28/2005

FILING DATE

09/25/2003

Dean A. Craine, P.S. 400-112th Ave. NE, Suite 140 Bellevue, WA 98004

HSIEH, SHIH YUNG

ART UNIT PAPER NUMBER

**EXAMINER** 

2837

DATE MAILED: 02/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	isk —	
		10/670,939	ANDERSON, GAR	RY L.	
Office Action Summary		Examiner	Art Unit		
		Shih-yung Hsieh	2837		
Period f	The MAILING DATE of this communication ap for Reply	ppears on the cover sheet w	vith the correspondence add	dress	
THE - Extra after - If th - If N - Fail	HORTENED STATUTORY PERIOD FOR REPI MAILING DATE OF THIS COMMUNICATION ensions of time may be available under the provisions of 37 CFR 1. er SIX (6) MONTHS from the mailing date of this communication. he period for reply specified above is less than thirty (30) days, a report of the provision of	136(a). In no event, however, may a ply within the statutory minimum of this will apply and will expire SIX (6) MO te, cause the application to become A	reply be timely filed  rty (30) days will be considered timely NTHS from the mailing date of this co BANDONED (35 U.S.C. § 133).		
Status					
1)	Responsive to communication(s) filed on				
2a) <u></u>		is action is non-final.			
3)⊠	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposi	tion of Claims				
5)⊠ 6)□ 7)□	Claim(s) 1-14 is/are pending in the application 4a) Of the above claim(s) is/are withdra Claim(s) 1-14 is/are allowed.  Claim(s) is/are rejected.  Claim(s) is/are objected to.  Claim(s) are subject to restriction and/	awn from consideration.			
Applica	tion Papers				
10)🖂	The specification is objected to by the Examin The drawing(s) filed on <u>25 September 2003</u> is Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Example 1.	s/are: a) ☐ accepted or b) ☐ e drawing(s) be held in abeya ction is required if the drawing	nce. See 37 CFR 1.85(a). g(s) is objected to. See 37 CF	R 1.121(d).	
Priority	under 35 U.S.C. § 119	•			
a)	Acknowledgment is made of a claim for foreig  All b) Some * c) None of:  1. Certified copies of the priority document  2. Certified copies of the priority document  3. Copies of the certified copies of the priority document  application from the International Bureau  See the attached detailed Office action for a lis	nts have been received. Its have been received in A Ority documents have beer au (PCT Rule 17.2(a)).	Application No  received in this National	Stage	
Attachmer	` ,				
	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) s)/Mail Date		
3) 🛛 Infor	rmation Disclosure Statement(s) (PTO-1449 or PTO/SB/08 er No(s)/Mail Date <u>1/5/2004</u> .		Informal Patent Application (PTO	-152)	

1. This application is in condition for allowance except for the following formal matters:

Please see the following statement.

Prosecution on the merits is closed in accordance with the practice under *Ex* parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.

2. The drawings are objected to because numeral 99 for side wall is not in the drawing. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner,

Art Unit: 2837

the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claims 4 and 14 are objected to because of the following informalities:
 Claim 4 is recited to depend on claim 4.

The numerals in claim 14 are not part of the claim. They should be deleted or being put in parentheses. Further, line 10, "lower" should be "upper"

Appropriate correction is required.

- 4. Claims 1-14 are allowed.
- 5. The claims are allowable over the prior art for at least the reason that the prior art fails to reasonably teach or suggest in claim 1 that an upper pad including a rearward extending lip that partially extends around said upper angled edge and prevents said upper metal rod on said clamping element from contacting said upper angle edge of said string instrument, and a lower pad including a rearward extending lip structure that prevents said lower metal rod on said clamping element from contacting said lower angled edge of said string instrument, and in claim 14 that the steps of selecting an upper pad including a rearward extending lip structure that prevents said upper metal rod on said clamping element from contacting said upper angled edge of said string instrument, and selecting a lower pad including a rearward extending lip structure that

Art Unit: 2837

prevents said lower metal rod on said clamping element from contacting said lower angled edge of said string instrument as set forth in the claimed combination.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shih-yung Hsieh whose telephone number is 571-272-2065. The examiner can normally be reached on 7:00-3:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Martin can be reached on 571-272-2107. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

syh

SHIH-YUNG HSIEH PRIMARY EXAMINER